

Facts To Go ...

Research Program, TVCC 779 Base Line Road East London ON N6C 5Y6 519.685.8680 www.tvcc.on.ca

Volume 11, Issue 2 Oc

Implications of Substance Use for Youth People Living with Developmental Disabilities

Introduction

Being a young person in today's society is quite challenging, with many pressures to fit in, develop one's identity, and become successful. Youth living with developmental disabilities often face additional challenges, commonly experiencing oppression and marginalization. These experiences may manifest in a myriad of ways such as social exclusion, bullying, and exploitation, potentially developing into forms of physical and sexual abuse as they grow older (Taggart, McLaughlin, Quinn, & McFarlane, 2007).

Given this, it is reasonable to think they may resort to using substances to cope with these difficulties, similar to a significant number of youth not living with special needs. However, it appears as though the popular belief is that people with special needs do not misuse drugs and alcohol (Krahn, Farrell, Gabriel, & Deck, 2006). In fact, this could not be a more inaccurate stereotype. People with all forms of disabilities do not merely use alcohol and drugs to deal with mental health challenges and harsh realities, they are disproportionately more likely to abuse these substances; yet are significantly underrepresented in substance abuse treatment programs (Glazier & Kling, 2013).

There has been little research done that specifically inquires about substance use from the perspectives of people living with developmental disabilities. One qualitative study by Taggart and colleagues (2007)

involving 10 people aged 28 to 52 years with developmental disabilities found that an overarching theme for misuse was 'self-medicating against life's negative experiences.'

More studies are needed that focus on younger people given the knowledge that drug and alcohol experimentation is a relatively common aspect of adolescence and young adulthood. There is a **crucial need to learn more about patterns of substance use** in youth with developmental disabilities, and the **services they need** to help them engage in healthier coping mechanisms and to abstain from using drugs and alcohol should they wish to access such programs.

Purpose of this Summary

This summary outlines the findings of an unpublished manuscript (Turner, 2014) on the intersectionality of oppression for people living with developmental disabilities who also misuse and abuse substances, titled Intersections of Oppression: The Implications of Substance Use for People Living with Developmental Disabilities. The results have been tailored to relate to youth who identify as members of this demographic, in order to initiate conversations on how best to support these young people in developing healthier coping techniques and lifestyles, should they wish to access help in these areas.

The paper reviewed **two core aspects**: reasons for substance use and abuse and barriers to

FACTS TO GO... VOLUME 11, ISSUE 2

treatment. This document will summarize the main findings for each of these two areas and conclude with recommendations for researchers, parents, service providers, and policy makers on how to improve mental health and addiction research and services for youth living with developmental disabilities.

Reasons for Substance Use/Abuse

There were multiple reasons people with developmental disabilities engaged in substance use/abuse, including:

- Coping with social isolation, psychological trauma, mental illnesses, abuse (including financial, physical, and sexual), and pressures to fit the definition of successful (Taggart et al., 2007).
- Fitting in with typically developing peers and joining them in experimenting with various substances, thought to be a result of the deinstitutionalization of people with disabilities (Slayter, 2010).
- Relieving a sense of boredom or unfulfillment due to a lack of adequately supported extracurricular, postsecondary, and vocational opportunities (Taggart et al., 2007).
- A lack of education on the consequences of using and misusing drugs, be they prescription or otherwise, combined with increased impulsivity (Turner, 2014).

Barriers to Treatment

Several reasons were identified as to why members of this population did not seek or receive treatment. They include:

 Physical inaccessibility of service settings, such as a lack of ramps, elevators, and wheelchair accessible washrooms (Krahn et al., 2006).

- Inability of agencies to provide personal support to clients requiring such assistance (Slayter, 2010).
- A focus on abstinence when clients wish to only decrease substance use or seek support while considering whether they wish to stop using (Taggart et al., 2007).
- Lack of holistic services in that health care providers focus solely on diagnosis-specific needs, rather than examining mental health (Etherington & McDougall, 2014) and screening for signs of substance use or addiction.
- Lack of substance abuse screening tools and treatment programs designed specifially for this population (Chapman & Wu, 2012; van Duijvenbode, et al., 2015).
- Inability of youth to consent to treatment either because of age or cognitive functionality, therefore forcing them to rely on caregivers to give consent (Weiss, 2012). This may create feelings of powerlessness and shame, therefore discouraging young people from accessing such services.
- Minimal to no communication between those who specialize in providing services specific to people with developmental disabilities and those who provide addiction services (Slayter, 2010).
- Discomfort and limited understanding of how to work with this population among mental health specialists (Weiss, 2012).
- Challenges with behavioral and emotional regulation, making residential treatment extremely challenging or impractical (Turner, 2014).

FACTS TO GO... VOLUME 11, ISSUE 2

 Unawareness of treatment options or facilities among individuals, or they may be unable to recognize the signs of problematic substance use (Taggart et al., 2007).

Recommendations

A number of things can be done to dissuade and decrease substance use among youth with developmental disabilities, and to enhance services, such as:

- Conduct more research in this area and involve young people living with developmental disabilities in the design of research studies and treatment programs (Turner, 2014).
- Increase communication and collaboration among service providers in order to provide comprehensive health care to young people with complex needs (Slayter, 2010; Turner, 2014).
- Increase training for addiction counselors about how to best to work with and meet the unique needs of young people living with developmental disabilities (Turner, 2014).
- Provide education and prevention programs about the implications of using substances, as well as healthier techniques for coping with stress to all students, including those in special education streams (Chapman & Wu, 2012; Turner, 2014).
- Service providers should engage caregivers in conversation about substance use so they can be aware of signs and open dialogue with their youth (Turner, 2014).
- Create more opportunities for young people with developmental disabilities to get involved in the

community in meaningful ways (Turner, 2014).

Summary

Individuals with disabilities engage in substance use and are more likely to abuse substances than those without disabilities. Therefore, it is **crucial to conduct research** to understand how and why this behavior develops in youth and how to best provide prevention programs for substance use and abuse. Awareness is needed to **debunk the myth** that individuals with developmental disabilities do not engage in such behaviours, thus opening the door for conversation and improved services. Young people should be included in such conversations to ensure their unique needs are met.

References

- Chapman, S., & Wu, Li-Tzy. (2012). Substance abuse among individuals with intellectual disabilities. *Research in Developmental Disabilities*, *33*, 1147-1156.
- Etherington, N. & McDougall, J. (2014).

 Understanding the mental health needs of children and youth with chronic conditions.

 Facts to Go, (10), 1-2. London, Ontario:
 Thames Valley Children's Centre.
- Glazier, E. R. & Kling, N. R. (2013). Recent trends in substance abuse among persons with disabilities compared to that of persons without disabilities. *Disability and Health Journal*, *6*, 107-115.
- Krahn, G., Farrell, N., Gabriel, R., & Deck, D. (2006). Access barriers to substance abuse treatment for persons with disabilities: An exploratory study. *Journal of Substance Abuse Treatment*, 31, 375-384.
- Slayter, M. E. (2010). Disparities in access to substance abuse treatment among people with intellectual disabilities and serious mental illness. *Health & Social Work, (35)*, 49-59.

FACTS TO GO... VOLUME 11, ISSUE 2

Taggart, L., McLaughlin, D., Quinn, B., & McFarlane, C. (2007). Listening to people with intellectual disabilities who misuse alcohol and drugs. *Health and Social Care in the Community*, (15), 360-368.

Turner, N. (2014). Intersections of oppression:

The implications of substance use for people living with developmental disabilities.

Unpublished manuscript.

van Duivenbode, N., VanDerNagel, E., Didden, R., Engels, R., Buitelaar, J., & Kiewik, M. (2015). Substance use disorders in individuals with mild to borderline intellectual disability: Current status and future directions. *Research in Developmental Disabilities*, 38, 319-328.

Weiss, A. J. (2012). Mental health care for Canadians with developmental disabilities. *Canadian Psychology, (53),* 67-69.

For more information, contact:

Nicole Turner, Youth Engagement Leader Family and Community Service Thames Valley Children's Centre E-mail: nicole.turner@tvcc.on.ca

Phone: 519.200.4474

ABOUT TVCC'S FACTS TO GO... PUBLICATION

Facts to Go... are information sheets on research topics published and distributed by the Research Program. The goal is to keep families, staff members, and the community updated on recent trends, issues, and future considerations in the area of childhood disability.